CLAIMS

1. A compound of formula (I)

$$\begin{array}{c|c} X & O & O \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\$$

or a pharmaceutically acceptable salt or ester thereof, wherein

X is

- 1) H,
- 2) aryl,

10

30

5

- 3) heteroaryl or
- 4) a group of formula

wherein aryl and heteroaryl can be unsubstituted or substituted with 1 to 4 substituents selected from $\mathbf{R}^{\mathbf{a}}$, as defined hereinafter:

15 **Y** is

- 1) H,
- 2) (C₁-C₆)alkyl,
- 3) (C₃-C₇)cycloalkyl or
- 4) (C₃-C₇)cycloalkyl-(C₁-C₃)alkyl;

20 **Q** is

- 1) aryl,
- 2) aryl- (C_1-C_6) alkyl,
- 3) heteroaryl or
- 4) heteroaryl-(C₁-C₆)alkyl;
- wherein aryl and heteroaryl can be optionally substituted with 1 to 3 substituents selected from **R**^a; and alkyl can be optionally substituted with Cy; Cy is cycloalkyl, heterocyclyl, aryl or heteroaryl;

A is

- 1) (C₁-C₆)alkyl,
- 2) (C₂-C₆)alkenyl,
 - 3) (C₂-C₆)alkynyl,
 - 4) Cy or

5) Cy-(C₁-C₆)alkyl;

wherein alkyl and cycloalkyl can be optionally substituted with 1 to 2 substituents selected from \mathbf{R}^c , as defined hereinafter; and Cy can be optionally substituted with 1 to 3 substituents selected from \mathbf{R}^a ;

```
5
                       B is
                1) N or
               2) C(D);
                       D is independently
                1) H,
10
               2) halogen,
               3) (C_1-C_6)alkyl,
               4) (C<sub>2</sub>-C<sub>6</sub>)alkenyl,
               5) (C<sub>2</sub>-C<sub>6</sub>)alkynyl,
               6) -NRbRb,
                7) -NO<sub>2</sub> or
15
               8) -CN;
        wherein R<sup>b</sup> is to be defined hereinafter;
                1) CH<sub>2</sub>,
               2) CHRb or
20
               3) CRbRc;
                       R1 is
                1) H,
               2) (C<sub>1</sub>-C<sub>6</sub>)alkyl,
25
                3) (C<sub>2</sub>-C<sub>6</sub>)alkenyl,
               4) (C<sub>2</sub>-C<sub>6</sub>)alkynyl,
                5) Cy,
                6) Cy-(C_1-C_3)alkyl,
               7) -(CH_2)_kC(O)NR^bR^b or
30
               8) (C_1-C_6)alkoxy(C_1-C_6)alkyl;
```

wherein Cy can be unsubstituted or substituted with a group selected from \mathbf{R}^a and alkyl, alkenyl, alkynyl and alkoxy can be unsubstituted or substituted with a group selected from \mathbf{R}^c ;

35 **R2** is

1) H,
2) (C₁-C₉)alkyl,
3) (C₂-C₉)alkenyl,
4) (C₂-C₉)alkynyl,
40 5) Cy or

6) Cy-(C₁-C₃)alkyl;

wherein Cy can be unsubstituted or substituted with a group selected from $\mathbf{R}^{\mathbf{a}}$ and alkyl, alkenyl and alkynyl can be unsubstituted or substituted with a group selected from $\mathbf{R}^{\mathbf{c}}$;

R3 is 5 1) H or 2) (C₁-C₆)alkyl; R^a is independently 10 1) H, 2) halogen, 3) (C_1-C_6) alkyl, 4) (C_2-C_6) alkenyl, 5) (C_2-C_6) alkynyl, 15 6) Cy, 7) -SRb 8) -NR^bR^b 9) 10) –NRbC(N)NRbRb, 11) -C(O)Rb 20 12) -C(O)NRbRb, 13) $-NC(O)R^b$ 14) -SO₂NR^bR^b 15) -NO₂, 16) -CN, 25 17) -CF₃ or 18) amino-(C₁-C₆)alkyl; **R**^b is independently 1) H, 2) (C₁-C₆)alkyl,

30 1) H,
2) (C₁-C₆)alkyl,
3) (C₂-C₆)alkenyl,
4) (C₂-C₆)alkynyl,
5) (C₃-C₇)cycloalkyl,
35 6) aryl,
7) heteroaryl,

or in the context of D, R1, R^a and R^c, **R**^b and **R**^b together with the atom to which they are attached can also form a 5 to 6 membered ring containing 1 to 2 heteroatoms selected from N, O and S;

40 R^c is independently

- 1) H,
- 2) halogen,

- 3) Cy, 4) –CN, 5) –OR^b, 6) –SR^b, 7) –NR^bR^b or
- $8) NR^bC(N)NR^bR^b;$

k is an integer 0 or 1;

h is an integer from 0 to 4;

n is an integer 0 or 1;

m is an integer from 0 to 3;

with the proviso that the compound of formula I is not the compound

and provided that A in formula (I) is not 2-hydroxyethyl.

15

20

5

- 2. A compound according to claim 1, wherein R2 is
- 1) H,
- 2) (C₁-C₆)alkyl,
- 3) (C₂-C₆)alkenyl,
- 4) (C_2-C_6) alkynyi,
- 5) Cy or
- 6) Cy-(C_1 - C_3)alkyl;

wherein Cy can be unsubstituted or substituted with a group selected from R^a and alkyl, alkenyl and alkynyl can be unsubstituted or substituted with a group selected from R^c.

3. A compound according to claim 1 or 2, wherein the compound is a compound of formula IA

or a pharmaceutically acceptable salt or ester thereof,

wherein A, Q, X, Y and n are as defined in claim 1 or claim 2.

4. A compound according to claim 1 or 2, wherein the compound is a compound of formula IB

5

10

15

20

or a pharmaceutically acceptable salt or ester thereof,

wherein A, D, E, X, Y, h, m and n are as defined in claim 1 or claim 2;

Q is aryl- (C_1) alkyl or heteroaryl- (C_1) alkyl, where aryl or heteroaryl are optionally substituted with 1 to 2 substituents selected from \mathbb{R}^a .

5. A compound according to claim 1 or 2, wherein the compound is a compound of formula IC

. •

or a pharmaceutically acceptable salt or ester thereof,

wherein R2, A, D, E, Q, h, m and n are as defined in claim 1.

6. A compound according to claim 1 or 2, wherein the compound is a compound of formula ID

$$X \xrightarrow{H} Q \xrightarrow{N} N \xrightarrow{N} D \xrightarrow{h}$$

5

10

or a pharmaceutically acceptable salt or ester thereof,

wherein A, X, D and h are as defined in claim 1 or claim 2;

Q is aryl-(C₁)alkyl or heteroaryl-(C₁)alkyl, where aryl or heteroaryl are optionally substituted with 1 to 2 substituents selected from R^a; and m is an integer 1 or 2.

- 7. A compound according to claim 1 or 2, wherein the compound of formula I is any of the compounds no 1 to 15 or 23 to 62 as described in the Examples.
- 8. A compound according to claim 1 or 2, wherein the compound of formula I is (2*R*, 2'*R*)-5-Amino-2-{3'-naphthalen-1-yl-2'-[3-phenethyl-3-(2-pyridin-2-ylethyl)ureido]propionylamino}pentanamide, (2*R*)-*N*-(4-Aminobutyl)-3-(1*H*-indol-3-yl)-2-[3-(3-phenylpropyl)-3-(2-pyridin-2-
- ylethyl)ureido]propionamide, (2*S*, 2'*R*)-2-{2-[3,3-Bis(2-pyridin-2-ylethyl)ureido]-3-naphthalen-1-ylpropionylamino}-4-methylsulfanylbutyramide, (2*S*, 2'*R*)-4-Methylsulfanyl-2-{3'-naphthalen-1-yl-2'-[3-phenethyl-3-(2-pyridin-2-ylethyl)ureido]propionylamino}butyramide, (2*S*, 2'*R*)-3-Methyl-2-{3'-naphthalen-1-yl-2'-[3-phenethyl-3-(2-pyridin-2-ylethyl)ureido]propionylamino}butyramide,
- 20 (2R)-N-cyclohexyl-3-naphthalen-1-yl-2-[3-phenethyl-3-(2-pyridin-2-ylethyl)ureido]propionamide, (2S,2'R)-2-{3'-naphthalen-1-yl-2'-[3-phenethyl-3-(2-pyridin-2-ylethyl)ureido]propionylamino}-3-phenylpropionamide or (2S,2'R)-2-{2-[3,3-bis(2-pyridin-2-ylethyl)ureido]-3'-naphthalen-1-ylpropionylamino}-3-methylbutyramide.
- 9. A compound according to any of the claims 1 to 8 where the compound is an SSTR1 selective agonist.
 - 10. A compound according to any of the claims 1 to 8 where the compound is an SSTR1 selective antagonist.

- 11. A pharmaceutical composition comprising as active ingredient at least one compound according to any of the claims 1 to 10 and at least one pharmaceutically acceptable carrier.
- 12. Use of a compound according to any of the claims 1 to 10 for the manufacture of a pharmaceutical preparation for the treatment and/or prevention of a disease or condition responding to targeting with a selective SSTR1 compound.

5

10

15

20

25

- 13. The use according to claim 12, wherein the said disease or condition is a central nervous system disease or disorder, a disease or condition benefiting from the use of anti-proliferative agents, pathological condition in the retina and/or iris-ciliary body, diabetic complication, cancer or excessive proliferation of normal or malignant tissue.
- 14. The use according to claim 12, wherein the said disease or condition is anxiety, depression or schizophrenia.
- 15. The use according to claim 12, wherein the said disease or condition is prostatic cancer, benign prostatic hyperplasia, pancreatic cancer, thyroid cancer, brain tumor or gastro-intestinal tumor.
- 16. The use according to claim 12, wherein the said disease or condition is diabetic retinopathy, diabetic nephropathy or diabetic neuropathy.
- 17. The use according to claim 12, wherein the said disease or condition is angiogenesis, vascular restenses, smooth muscle proliferation, endothelial cell proliferation, new blood vessel sprouting or neovascularization.
- 18. Use of a compound of according to any of the claims 1-10 in combination with a detectable label, for targeting tissues bearing SSTR1s for tissue imaging.
- 19. Use of a compound of according to any of the claims 1-10 as a carrier for another therapeutically active compound to be targeted to tissues bearing SSTR1s.